

## Acetone

Test Description	Test Method	Unit of Measure	Specification
Appearance	Visual	-	Clear & free of suspended matter
Purity	GC	% weight	99.9
Water	ASTM D 1364	% weight	0.4 max
Acidity as Acetic Acid	ASTM D 1613	% m/m	0.003
Permanganate Time	ASTM D 1363	Minutes	90
Color	ASTM D 1209	Pt-Co	5 max
Acidity	ASTM D 1613	ppm	30
Distillation	ASTM D 1078	°C	
IBP	ASTM D 1078	°C	56
DP	ASTM D 1078	°C	57

Comments: Physical properties are not monitored constantly.

Issue of revision date: 21.10.2020

—  
Spec Version:1