

Trichloroethylene

Test Description	Test Method	Unit of Measure	Specification
Appearance	Visual	-	Colorless Transparent liquid
Colour	ASTM D 1209	Pt-Co	15 max
Water Content	ASTM E 203	% Weight	0.01
Distillation	ASTM D 1078	°C	
IBP	ASTM D 1078	°C	85.5
DP	ASTM D 1078	°C	91
Density @20°C	ASTM D 4052	g/cm ³	1.460-1.464
Purity	GC	%	99.6 min
Acidity as HCl	ASTM D 1613	% Weight	0.001
Alkalinity as NaOH	HG/T 3262-2002	% Weight	0.025
Non-volatile Matter	ASTM D 2109	% Weight	0.005 max
pH	ASTM D 1287	-	8-10

Comments: Physical properties are not monitored constantly.

Issue of revision date: 21.10.2020

—

Spec Version:1