

## TRIETHYLENE GLYCOL

Test Description	Test Method	Unit of Measure	Specification
Appearance at 30°C	Visual	-	Clear and Bright
Density @ 20/20°C (Vac)	ASTM D 4052	Kg/l	1.1252
Colour	ASTM D1209	Pt/Co	LT 5
Distillation	ASTM D 1078	° C	-
IBP	ASTM D 1078	° C	281
DP	ASTM D 1078	° C	289
Water Content	ASTM E 1064	% weight	0.10
Ash Content	ASTM D 482	% weight	0.0001
TEG	GC	% weight	99.55
DEG	GC	% weight	0.35
Heavy Ends	GC	% weight	<0.01
Purity	ASTM E 2409	% weight	99.3

Comments: Physical properties are not monitored constantly.

Issue of revision date: 21.10.2020

—  
Spec Version:1