

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.02.2023

Revision: 16.02.2023

### 1 Identification of the substance/mixture and of the company/undertaking


- **Product identifier**
- **Trade name:** Methanol
- **CAS Number:**  
67-56-1
- **EC number:**  
200-659-6
- **Index number:**  
603-001-00-X
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Rama Chem Trading FZE  
WS23, A1008, Tower A, Jafza one building, Jebel ali, Dubai, UAE
- **Further information obtainable from:**  
Product safety department.  
info@ramagroup.ae
- **Emergency telephone number:**  
+971 50 406 1790

### 2 Hazards identification

- **Classification of the substance or mixture**



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 3 H301 Toxic if swallowed.  
Acute Tox. 3 H311 Toxic in contact with skin.  
Acute Tox. 3 H331 Toxic if inhaled.



STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

(Contd. on page 2)

**Trade name: Methanol**

(Contd. of page 1)

· **Label elements**

· **GHS label elements**

The substance is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02    GHS06    GHS08

· **Signal word** *Danger*

· **Hazard statements**

*Highly flammable liquid and vapour.*

*Toxic if swallowed, in contact with skin or if inhaled.*

*Causes damage to the central nervous system and the visual organs.*

· **Precautionary statements**

*IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*Specific treatment (see on this label).*

*Rinse mouth.*

*IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*Take off immediately all contaminated clothing and wash it before reuse.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterisation: Substances**

· **CAS No. Description**

67-56-1 Methanol

· **Identification number(s)**

· **EC number:** 200-659-6

· **Index number:** 603-001-00-X

### 4 First aid measures

· **Description of first aid measures**

· **General information:**

*Immediately remove any clothing soiled by the product.*

*Remove breathing equipment only after contaminated clothing have been completely removed.*

*In case of irregular breathing or respiratory arrest provide artificial respiration.*

· **After inhalation:**

*Supply fresh air or oxygen; call for doctor.*

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· **After swallowing:** *Do not induce vomiting; call for medical help immediately.*

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

(Contd. on page 3)

Printing date 16.02.2023

Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Printing date 16.02.2023

Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 3)

 · **Control parameters**

 · **Ingredients with limit values that require monitoring at the workplace:**
**67-56-1 Methanol**

|                     |   |
|---------------------|---|
| PEL (USA)           | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm  |
| REL (USA)           | Short-term value: 325 mg/m <sup>3</sup> , 250 ppm<br>Long-term value: 260 mg/m <sup>3</sup> , 200 ppm<br>Skin |
| TLV (USA)           | Short-term value: 250 ppm<br>Long-term value: 200 ppm<br>Skin; BEI  |
| IOELV (EU)          | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm<br>Skin  |
| WEL (Great Britain) | Short-term value: 333 mg/m <sup>3</sup> , 250 ppm<br>Long-term value: 266 mg/m <sup>3</sup> , 200 ppm<br>Sk   |

 · **Ingredients with biological limit values:**
**67-56-1 Methanol**

|           |   |
|-----------|---|
| BEI (USA) | 15 mg/L<br>Medium: urine<br>Time: end of shift<br>Parameter: Methanol (background, nonspecific) |
|-----------|---|

 · **Additional information:** The lists valid during the making were used as basis.

 · **Exposure controls**

 · **Personal protective equipment:**

 · **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Store protective clothing separately.  
 Avoid contact with the eyes and skin.

 · **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

 · **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

 · **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

 · **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 16.02.2023

Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 4)

**· Eye protection:**
*Tightly sealed goggles*

### 9 Physical and chemical properties

**· Information on basic physical and chemical properties**
**· General Information**
**· Appearance:**

|                |            |
|----------------|------------|
| <b>Form:</b>   | Liquid     |
| <b>Colour:</b> | Colourless |

|                 |               |
|-----------------|---------------|
| <b>· Odour:</b> | Alcohol odour |
|-----------------|---------------|

|                           |         |
|---------------------------|---------|
| <b>· Odour threshold:</b> | 100 ppm |
|---------------------------|---------|

|                    |                 |
|--------------------|-----------------|
| <b>· pH-value:</b> | Not determined. |
|--------------------|-----------------|

**· Change in condition**

|   |       |
|---|-------|
| <b>Melting point:</b>                           | -94°C |
| <b>Initial boiling point and boiling range:</b> | 65 °C |

|                       |       |
|-----------------------|-------|
| <b>· Flash point:</b> | 11 °C |
|-----------------------|-------|

|                                     |                   |
|-------------------------------------|-------------------|
| <b>· Flammability (solid, gas):</b> | Highly flammable. |
|-------------------------------------|-------------------|

|                                     |        |
|-------------------------------------|--------|
| <b>· Auto Ignition temperature:</b> | 385 °C |
|-------------------------------------|--------|

|                                     |                 |
|-------------------------------------|-----------------|
| <b>· Decomposition temperature:</b> | Not determined. |
|-------------------------------------|-----------------|

|                            |                 |
|----------------------------|-----------------|
| <b>· Molecular weight:</b> | Not determined. |
|----------------------------|-----------------|

|                                |                 |
|--------------------------------|-----------------|
| <b>· Explosive properties:</b> | Not determined. |
|--------------------------------|-----------------|

**· Explosion limits:**

|               |          |
|---------------|----------|
| <b>Lower:</b> | 6 Vol %  |
| <b>Upper:</b> | 36 Vol % |

|                            |                    |
|----------------------------|--------------------|
| <b>· Vapour pressure :</b> | 97.25 mm Hg @20 °C |
|----------------------------|--------------------|

|                    |                 |
|--------------------|-----------------|
| <b>· Density :</b> | Not determined. |
|--------------------|-----------------|

|                           |        |
|---------------------------|--------|
| <b>· Relative density</b> | 0.7914 |
|---------------------------|--------|

|   |      |
|---|------|
| <b>· Relative vapour density at 20 °C</b> | 1.11 |
|---|------|

|   |     |
|---|-----|
| <b>· Relative evaporation rate (butylacetate=1)</b> | 4.6 |
|---|-----|

|  |               |
|--|---------------|
| <b>· Solubility in / Miscibility with water:</b> | Not available |
|--|---------------|

|   |                 |
|---|-----------------|
| <b>· n-octanol/water partition coefficient (log Pow):</b> | Not determined. |
|---|-----------------|

**· Viscosity**

|                   |                 |
|-------------------|-----------------|
| <b>Dynamic:</b>   | 0.59 cP @20 °C  |
| <b>Kinematic:</b> | Not determined. |

|                            |  |
|----------------------------|--|
| <b>· Other information</b> | No further relevant information available. |
|----------------------------|--|

AE

(Contd. on page 6)

Printing date 16.02.2023

Revision: 16.02.2023

Trade name: Methanol

(Contd. of page 5)

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

|        |      |                       |
|--------|------|-----------------------|
| Oral   | LD50 | 5,628 mg/kg (rat)     |
| Dermal | LD50 | 15,800 mg/kg (rabbit) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 16.02.2023




Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 6)

 · **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

|   |  |
|---|--|
| · <b>UN-Number</b><br>· <b>ADR, IMDG, IATA</b>  | UNI230   |
| · <b>UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG, IATA</b>   | 1230 METHANOL<br>METHANOL  |
| · <b>Transport hazard class(es)</b><br>· <b>ADR</b>   |  |
|    |  |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids.<br>3+6.1  |
| · <b>IMDG</b>   |  |
|   |  |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids.<br>3/6.1  |
| · <b>IATA</b>   |  |
|    |  |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids.<br>3 (6.1)  |
| · <b>Packing group</b><br>· <b>ADR, IMDG, IATA</b>  | II   |
| · <b>Environmental hazards:</b>   | Not applicable.  |
| · <b>Special precautions for user</b><br>· <b>Hazard identification number (Kemler code):</b><br>· <b>EMS Number:</b><br>· <b>Stowage Category</b><br>· <b>Stowage Code</b> | Warning: Flammable liquids.<br>336<br>3-06<br>B<br>SW2 Clear of living quarters. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>   | Not applicable.  |

(Contd. on page 8)

Printing date 16.02.2023

Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 7)

**· Transport/Additional information:**

**· ADR**

|                                   |  |
|-----------------------------------|--|
| · <b>Limited quantities (LQ)</b>  | 1L   |
| · <b>Excepted quantities (EQ)</b> | Code: E2   |
|                                   | Maximum net quantity per inner packaging: 30 ml  |
|                                   | Maximum net quantity per outer packaging: 500 ml |
| · <b>Transport category</b>       | 2  |
| · <b>Tunnel restriction code</b>  | D/E  |

**· IMDG**

|                                   |  |
|-----------------------------------|--|
| · <b>Limited quantities (LQ)</b>  | 1L   |
| · <b>Excepted quantities (EQ)</b> | Code: E2   |
|                                   | Maximum net quantity per inner packaging: 30 ml  |
|                                   | Maximum net quantity per outer packaging: 500 ml |

|                                 |                               |
|---------------------------------|-------------------------------|
| · <b>UN "Model Regulation":</b> | UN 1230 METHANOL, 3 (6.1), II |
|---------------------------------|-------------------------------|

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **GHS label elements**

The substance is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02    GHS06    GHS08

· **Signal word** *Danger*

· **Hazard statements**

*Highly flammable liquid and vapour.*  
*Toxic if swallowed, in contact with skin or if inhaled.*  
*Causes damage to the central nervous system and the visual organs.*

· **Precautionary statements**

*IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*  
*Specific treatment (see on this label).*  
*Rinse mouth.*  
*IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*Take off immediately all contaminated clothing and wash it before reuse.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** Substance is listed.  
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 500 t  
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 5,000 t  
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 16.02.2023

Revision: 16.02.2023

**Trade name: Methanol**

(Contd. of page 8)

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Product safety department.

· **Contact:** PME

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Flam. Liq. 2: Flammable liquids – Category 2*

*Acute Tox. 3: Acute toxicity – Category 3*

*STOT SE 1: Specific target organ toxicity (single exposure) – Category 1*

AE